Notice of Allowability	Application No.	Applicant(s)
	09/483,569	OH ET AL.
	Examiner	Art Unit
	Michael N. Opsasnick	2626
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>appeal brief filed 8/29/06</u> .		
2. The allowed claim(s) is/are <u>1-3,9-11</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	or and the Prooffice
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🗌 Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
•	9.	

Application/Control Number: 09/483,569 Page 2

Art Unit: 2626

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-3,9-11 are allowed over the prior art of record.
- 2. The following is an examiner's statement of reasons for allowance:

As per independent claims 1 and 9, the claim recitations pertaining to calculating a smoothed power estimate over time as detailed in the independent claims, is not explicitly taught by the prior art of record. Furthermore, it would not have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of the prior art of record to obtain the recited claim limitations of the independent claims.

As is well documented in the prosecution history, the closest prior art of record is <u>Bloebaum et al (6070137)</u>. The distinguishable differing features, in summary, of the independent claims and <u>Bloebaum et al (6070137)</u> is that Bloebaum et al teaches a calculation of a gain filter function, wherein noise input N and power estimate input S are smoothed, however, the noise in put N is smoothed over time, but the power estimate input S is smoothed in the frequency domain. In Bloebaum, the first order AR smoothing of the equation is used in adapting the noise model, but the AR smoothing is only used when the signal S is absent. Oppenheim does not teach smoothing in the time domain by showing convolution in the frequency domain being equivalent to multiplication in the time domain.

Application/Control Number: 09/483,569

Art Unit: 2626

Any comments considered necessary by applicant must be submitted no later than the

Page 3

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Michael Opsasnick, telephone number (571)272-7623,

who is available Tuesday-Thursday, 9am-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mr. Richemond Dorvil, can be reached at (571)272-7602. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

11/06/06

mno

Michael N. Opsasnick

Examiner

Art Unit 2626